Government of Saskatchewan

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 20, September 10, 2015

For the Period September 1 to 7, 2015

Forty per cent of the 2015 crop is now in the bin and an additional 33 per cent is swathed or ready to straight-cut, according the Saskatchewan Agriculture's Weekly Crop Report. The five-year (2010-2014) average for this time of year is 25 per cent combined.

Regionally, producers in the southwest are furthest advanced, having 61 per cent of the crop combined. Producers in the southeast have 59 per cent combined. Thirty-three per cent of the crop is combined in the west-central region; 22 per cent in both the east-central northwestern regions, and 20 per cent in the northeast.

Heavy rain over the weekend has delayed producers in many parts of the province. Warm and dry weather will be needed to help fields dry. Rainfall ranged from small amounts to over four inches in some southeastern areas.

Provincially, topsoil moisture conditions on cropland are rated as 16 per cent surplus, 76 per cent adequate, seven per cent short and one per cent very short. Hay land and pasture topsoil moisture conditions are rated as six per cent surplus, 80 per cent adequate, 12 per cent short and two per cent very short.

Strong winds and heavy rain have lodged some crops and quality is a concern in areas. Yields vary greatly across the province, but overall are estimated to be close to average. Winter cereals are being seeded as time allows.

The Ministry of Agriculture has a Forage, Feed and Custom Service listing for producers to advertise and source feed products. It is available at www.agriculture.gov.sk.ca/FeedForageListing.

Farmers are busy with harvest operations.

One year ago

Fourteen per cent of the 2014 crop had been combined with an additional 39 per cent swathed or ready to straight cut. Heavy rain was received in some areas, causing crop quality concerns.

Follow the 2015 Crop Report on Twitter @SKAgriculture

Saskatchewan Harvest September 7, 2015 % combined	
Winter wheat	98
Fall rye*	97
Spring wheat	31
Durum	46
Oats*	22
Barley	40
Canaryseed	15
Flax	7
Canola	25
Mustard	45
Soybeans	18
Lentils	85
Peas	92
Chickpeas	13
*includes three per cent 'other'	

Harvest Progress in SK Per cent Combined All Crops	
Sept 7/15	40
5 year avg. (2010-2014)	25
Sept 8/14	14
Sept 9/13	30
Sept 3/12	38
Sept 5/11	32
Sept 6/10	13
10 year avg. (2005-2014)	30

For further information, contact Shannon Friesen, PAg,
Cropping Management Specialist, Moose Jaw, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3592, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Provincial Estimated Crop Yields - September 7, 2015

	Winter wheat	Fall rye	HRSW	Other wheat*	Durum	Oat	Barley	Canaryseed
Southeast	44	47	36	40	32	67	56	913
Southwest	24	27	27	28	29	46	41	785
East Central	38	34	36	43	35	79	58	953
West Central	35	24	30	37	30	66	48	961
Northeast	31	30	43	50	36	98	68	1426
Northwest	30	35	39	43	N/A	75	58	N/A
Provincial	**37**	**32**	**35**	**40**	**30**	**81**	**56**	**1157**
	Flax	**Canola**	**Mustard**	**Soybean**	**Pea**	**Lentil**	**Chickpea**	
Southeast	21	29	1008	26	32	1306	1200	
Southwest	18	25	1065	23	25	1188	1157	
East Central	23	31	1079	25	34	1295	1100	
West Central	23	28	1002	25	29	1236	1050	
Northeast	25	36	600	19	37	1090	N/A	
Northwest	20	33	N/A	N/A	35	1800	N/A	
Provincial	**21**	**31**	**1047**	**25**	**29**	**1225**	**1157**	

* 'Other wheat' includes all wheat classes other than Hard Red Spring Wheat
** Crop yield predictions at this point in time. Please keep in mind these are regional averages, and yields can vary greatly across an area.
*** canaryseed, mustard, lentil and chickpea in lbs/ac. All other crops in bu/ac.

Southeastern Saskatchewan (Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas; Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas; Crop District 3ASE – Radville and Lake Alma areas)

Warm and dry weather earlier in the week helped advance harvest in the southeast. Fifty-nine per cent of the crop is now in the bin, up from 45 per cent last week. The five-year (2010-2015) average for this time of year is 32 per cent combined. Some producers have wrapped up harvest, while others will need another couple of weeks.

Heavy rainfall over the weekend has delayed harvest in much of the region, although producers will likely be back in the field soon. There are reports of flooded fields and roads; strong winds have lodged crops and scattered swaths. Quality is a concern as the rain has bleached many cereal crops and downgrading at the elevator is expected. Harvest remains difficult in some fields that have secondary plant growth and new flushes of weeds. Some fields that normally are straight-cut are now being swathed due to green growth. Winter cereals are being seeded in many areas as time allows. Although yields at this time are average, many crops have yielded higher than first expected.

Rainfall in the region ranged from small amounts to 88 mm in the Redvers area. At 398 mm, the Tantallon area holds the regional record for the greatest amount of rainfall

since April 1. Cropland topsoil moisture is currently rated as 10 per cent surplus, 82 per cent adequate and eight per cent short. Hay land and pasture topsoil moisture is rated as four per cent surplus, 85 per cent adequate, 10 per cent short and one per cent very short.

Farmers are busy with harvest operations, hauling bales and waiting for fields to dry.

Southwestern Saskatchewan (Crop District 3ASW – Coronach, Assiniboia and Ogema areas; Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas; Crop District 3B – Kyle, Swift Current , Shaunavon and Ponteix areas; Crop District 4 – Consul, Maple Creek and Leader areas)

Harvest continues in the southwest, thanks to relatively warm and dry conditions earlier in the week. Sixty-one per cent of the crop is now combined, up from 51 per cent last week. The five-year (2010-2015) average for this time of year is 41 per cent combined. Many producers have completed harvest, while others will need another couple of weeks.

Heavy rainfall over the weekend has lodged crops and strong winds have blown swaths around. Harvest has been delayed in some areas, although many producers expect to be back in the field shortly. Quality is a concern as the rain has bleached many cereal crops and downgrading at the elevator is expected in some areas. Harvest is difficult in many fields due to secondary growth and new flushes of weeds; some producers are swathing crops that would normally be straight-cut. Producers are seeding winter cereals as time and moisture allow. Yields vary greatly across the region, but are average overall.

Rainfall in the region ranged from small amounts to 54 mm in the Limerick area. At 480 mm, the Mortlach area holds both the regional and provincial records for the greatest amount of rainfall since April 1. Cropland topsoil moisture is currently rated as eight per cent surplus, 72 per cent adequate, 17 per cent short and three per cent very short. Hay land and pasture topsoil moisture is rated as 68 per cent adequate, 26 per cent short and six per cent very short.

Farmers are busy with harvest operations, moving cattle and hauling bales.

East-Central Saskatchewan (Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas; Crop District 6A – Lumsden, Craik, Watrous and Clavet areas)

Thanks to relatively warm and dry weather earlier in the week, 22 per cent of the crop in east-central Saskatchewan is in the bin, up from 11 per cent last week. The five-year (2010-2015) average for this time of year is 18 per cent combined.

Like most of the province, the region received heavy rain that lodged many crops and postponed harvest. Warm and dry weather will be needed to dry up those fields that cannot currently support equipment. Most producers are hoping to be back in the field by the weekend if drying weather is received. Little winter cereal seeding has been done to date, although many producers will likely begin seeding soon if time allows. Downgrading of cereals is expected at the elevator as the rain has bleached, stained and sprouted some crops. Harvest operations remain difficult in some areas as straw is still green and there are new flushes of weeds. Yields vary greatly throughout the region, although many crops are yielding higher than first expected.

Rainfall ranged from small amounts to 65 mm in the Kelvington area. At 401 mm, the Meacham area holds the regional record for the greatest amount of rainfall since April 1. Cropland topsoil moisture is rated as 29 per cent surplus, 68 per cent adequate, two per cent short and one per cent very short, while hay land and pasture topsoil moisture conditions are rated as 16 per cent surplus, 80 per cent adequate, three per cent short and one per cent very short.

Farmers are busy with harvest operations and waiting for fields to dry.

West-Central Saskatchewan (Crop Districts 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas; Crop District 7A – Rosetown, Kindersley, Eston, Major; CD 7B - Kerrobert, Macklin, Wilkie and Biggar areas)

Harvest is progressing quickly in the west-central region. Thirty-three per cent of the crop is now in the bin, up from 20 per cent last week. The five-year (2010-2015) average for this time of year is 23 per cent combined.

Despite heavy rain over the weekend, many producers expect to be back in the field by the weekend. The heavy rain has lodged many crops and caused staining, bleaching and sprouting in some cereal crops. There are reports of some swaths being scattered across fields by the strong winds. Water fowl are also causing issues in some areas. Harvest remains difficult in many fields as there are new flushes of weeds and secondary growth. Yields are generally average, although many crops are yielding better than first expected.

Rainfall this past week ranged from small amounts to 39 mm in the Cando and Landis areas. At 329 mm, the Outlook area holds the regional record for the greatest amount of rainfall since April 1. Cropland topsoil moisture is currently rated as seven per cent surplus, 89 per cent adequate and four per cent short. Hay land and pasture topsoil moisture is rated as three per cent surplus, 92 per cent adequate, four per cent short and one per cent very short.

Farmers are busy harvesting and hauling bales.

Northeastern Saskatchewan (Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas; Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas)

Significant progress was made this past week in the region. Twenty per cent of the crop is now in the bin, up from 10 per cent last week. The five-year (2010-2014) average for this time of year is 13 per cent combined.

Heavy rain over the weekend will keep producers out of the field. Many fields are saturated and are unable to hold equipment. Many days of ward, dry weather will be needed before producers can get back in the field. Strong winds have blown swaths around while heavy rain has caused lodging, bleaching and sprouting in some crops. Harvest is difficult in some areas as the straw remains green and there are varying crop stages and new weed flushes causing issues. Yields are average overall, although there are some reports that crops are yielding higher than first expected. Quality is a concern and downgrading is expected at the elevator.

Rainfall in the region ranged from 25 mm to 59 mm in the Porcupine Plain area. At 441 mm, the Humboldt area holds the regional record for the greatest amount of rainfall since April 1. Cropland topsoil moisture conditions are rated as 38 per cent surplus and 62 per cent adequate. Hay land and pasture topsoil moisture is rated as 19 per cent surplus, 79 per cent adequate and two per cent short.

Farmers are busy with harvest operations and are waiting for fields to dry.

Northwestern Saskatchewan (Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas; Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas)

Thanks to a warm and dry start to the week, harvest is progressing quickly in the region. Twenty-two per cent of the crop is now combined, up from 13 per cent last week. The five-year (2010-2015) average for this time of year is 11 per cent combined.

Heavy rainfall has delayed further combining, although many producers expect to be back in the field soon. Strong winds caused some damage last week by blowing swaths around and shelling out some standing crops. Harvest continues to be difficult in many fields as there are varying crop stages and new weed flushes emerging. Overall, yields are expected to be average, although there are reports that some fields are yielding better than first expected. Several weeks of frost-free weather is needed in many areas to allow some later-seeded crops to mature.

Rainfall this past week ranged from 24mm to 65 mm in the Meadow Lake area. At 328 mm, the Barthel area holds the regional record for the greatest amount of rainfall since April 1. Cropland topsoil moisture conditions are rated as six per cent surplus, 92 per cent adequate and two per cent short. Hay land and pasture topsoil moisture is rated as six per cent surplus, 88 per cent adequate and six per cent short.

Farmers are busy with harvest operations and hauling bales.

Saskatchewan Harvest Progress - September 7, 2015

*Other - crop that will not be harvested due to weather, insect or disease damage or will be greenfeed

Winter Wheat	% Standing	% in swath	% ready to straight combine	% combined	
southeast	2	0	1	97	
southwest	0	0	0	100	
east central	0	0	1	99	
west central	0	0	8	92	
northeast	0	0	4	96	
northwest	15	20	50	15	
provincial	1	0	1	98	
Fall Rye	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	**% other**
southeast	2	0	1	96	1
southwest	0	0	0	95	5
east central	0	0	0	100	0
west central	13	1	4	81	1
northeast	0	0	0	100	0
northwest	5	25	25	45	0
provincial	1	1	1	94	3
Spring Wheat	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	21	6	16	57	
southwest	29	3	23	45	
east central	43	21	16	20	
west central	31	15	35	19	
northeast	18	20	37	25	
northwest	22	13	36	29	
provincial	29	14	26	31	
Durum	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	

southeast	25	6	6	63	
southwest	24	2	23	51	
east central	45	17	21	17	
west central	69	4	22	5	
northeast	15	24	57	4	
northwest	N/A	N/A	N/A	N/A	
provincial	30	4	20	46	
Barley	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	18	6	8	68	
southwest	26	3	17	54	
east central	35	22	15	28	
west central	55	5	20	20	
northeast	25	5	11	59	
northwest	36	23	11	30	
provincial	34	12	14	40	
Oats	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	**% other**
southeast	21	22	5	51	1
southwest	46	1	3	43	7
east central	55	19	9	16	1
west central	61	14	6	6	13
northeast	42	13	28	17	0
northwest	61	7	18	5	9
provincial	48	15	15	19	3
Canaryseed	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	57	0	13	30	
southwest	94	3	0	3	
east central	92	3	5	0	
west central	85	2	6	7	
northeast	87	4	5	4	

northwest	5	0	20	75	
provincial	83	1	1	15	
Flax	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	77	3	6	14	
southwest	81	1	12	6	
east central	97	2	1	0	
west central	98	0	0	2	
northeast	90	0	1	9	
northwest	100	0	0	0	
provincial	88	2	3	7	
Canola	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	7	31	2	60	
southwest	13	37	6	44	
east central	17	65	5	13	
west central	16	60	2	22	
northeast	16	76	2	6	
northwest	32	62	1	5	
provincial	16	56	3	25	
Mustard	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	19	3	0	78	
southwest	16	20	14	50	
east central	63	26	8	3	
west central	55	32	7	6	
northeast	5	55	20	20	
northwest	N/A	N/A	N/A	N/A	
provincial	23	21	11	45	
Soybeans	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	80	2	0	18	
southwest	100	0	0	0	

east central	98	0	2	0	
west central	100	0	0	0	
northeast	100	0	0	0	
northwest	N/A	N/A	N/A	N/A	
provincial	81	1	0	18	
Field Peas	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	1	0	1	98	
southwest	3	0	3	94	
east central	3	1	5	91	
west central	1	0	9	90	
northeast	5	8	4	83	
northwest	0	4	9	87	
provincial	2	1	5	92	
Lentils	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	3	0	2	95	
southwest	4	2	7	87	
east central	6	0	12	82	
west central	8	2	15	75	
northeast	0	1	14	85	
northwest	0	0	0	100	
provincial	5	2	8	85	
Chickpeas	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	0	0	0	100	
southwest	92	0	0	8	
east central	0	5	0	95	
west central	86	0	14	0	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
provincial	86	0	1	13	

Crop Districts and Rural Municipalities in Saskatchewan



Government of Saskatchewan

0 25 50 100 150 200
Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Crop Districts - Saskatchewan Ministry of Agriculture

Geomatic Services, Ministry of Agriculture June 10, 2014

© 2014 Government of Saskatchewan

Weekly Rainfall

from September 1 to September 7, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture September 9, 2015

© 2015 Government of Saskatchewan

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period September 1 to 7, 2015

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	58	300
	3	Enniskillen	60	270
	33	Moose Creek	81	314
	34	Browning	N/A	171
	61	Antler	88	333
	63	Moose Mountain	67	232.2
	64	Brock	68	232
	65	Tecumseh	60	204.5
1B	91	Maryfield	76	280
	122	Martin	78	344
	123	Silverwood	66	343
	124	Kingsley	82	325
	125 A	Chester	46	305
	125 B	Chester	65	273
	151 A	Rocanville	80	398
	154	Elcapo	76	245
	155 A	Wolseley	41	384
2A	67	Weyburn	58	222
	68	Brokenshell	30	192
	97	Wellington	26	184
2B	127 A	Francis	31.5	284.5
	127 B	Francis	57.1	229.5
	129	Bratt's Lake	18	202.5
	131 A	Baildon	40	301
	131 B	Baildon	37	284
	156 A	Indian Head	29	246
	156 B	Indian Head	30	316
	160 A	Pense	35	207
	161	Moose Jaw	40	269
	162	Caron	N/A	222.2
	191	Marquis	32	315
3ASE	38 A	Laurier	20.9	165.8
	38 B	Laurier	23	164
	39 A	The Gap	15	183
3ASW	10	Happy Valley	1	167
	12	Poplar Valley	10	287
	40 A	Bengough	N/A	N/A
	40 B	Bengough	12	270
	42	Willow Bunch	18	252
	43	Old Post	6	191.5
	70	Key West	N/A	25.4
	73 A	Stonehenge	27	354.1
	73 B	Stonehenge	54	335.5
3AN	101	Terrell	28	277
	102	Lake Johnston	33	204.6
	103	Sutton	23	391
	132 A	Hillsborough	51	479.5
	132 B	Hillsborough	34	362
	134	Shamrock	N/A	31.5
	193 A	Eyebrow	23	344
	193 B	Eyebrow	31	365
3BS	17	Val Marie	N/A	165.0
	75 A	Pinto Creek	27	349
	75 B	Pinto Creek	N/A	43
	76	Auvergne	N/A	220
	77	Wise Creek	8	194
	78	Grassy Creek	10	173.5
	105	Glenbain	25	281
	106	Whiska Creek	16	258
	107	Lac Pelletier	N/A	113
	108	Bone Creek	5	182
3BN	138 A	Webb	20	249.5
	138 B	Webb	16	151.5
	166	Excelsior	16	290
	167	Sask. Landing	24.0	248.4
	168 A	Riverside	29	187
	168 B	Riverside	N/A	143.2
	226	Victory	N/A	181
	228	Lacadena	30	202
	257	Monet	33	213

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
4A	49	White Valley	N/A	194.0
	51	Reno	27	157.9
	70	Arlington	10	192
	109 A	Carmichael	28	161
	109 B	Carmichael	N/A	40
	110	Piapot	35	142
	111	Maple Creek	25	139.1
4B	139	Gull Lake	32	212
	142	Enterprise	2.0	190.4
	169	Pittville	N/A	111
	231	Happyland	26	117
	183	Fertile Belt	57	389
5A	186	Abernethy	31	282
	211	Churchbridge	41	301
	213	Sallcoats	N/A	316
	216	Tullymet	N/A	117
	241	Calder	37	258
	243	Wallace	12	165
	244	Orkney	26	216
	245 A	Garry	38	329
	245 B	Garry	41	314
	245 C	Garry	38	314
	246	Ituna Bon Accord	52	330
	247	Kellross	52	344
	248	Touchwood	54	307.0
	271	Cote	28	254
	273	Sliding Hills	31	235
	277	Emerald	55	304
5B	305	Invermay	44	298.5
	307	Elfros	61	317
	308 A	Big Quill	48	284
	308 B	Big Quill	57	286.5
	331	Livingston	18	150
	336	Sasman	55	290
	337	Lakeview	N/A	308
	338	Lakeside	40	333
	366	Kelvington	65	360
	367	Ponass Lake	45	373
6A	190 A	Dufferin	40	377
	190 B	Dufferin	28	327
	190 C	Dufferin	31	265
	190 D	Dufferin	28	207
	219 A	Longlaketon	34	324
	219 B	Longlaketon	27	348
	220	Mckillop	48	305
	221	Sarnia	40.3	299.5
	222	Craik	36	391.5
	251	Big Arm	35	246.8
	252	Arm River	33	345
	279	Mount Hope	50	260.5
	282	McCraney	24	291
	312	Morris	N/A	258
	313	Lost River	N/A	321
	339	Leroy	33	321.3
	340	Wolverine	36	362
	341	Viscount	25	401
	343 A	Blucher	34	357.2
	343 B	Blucher	N/A	135
6B	223	Huron	N/A	258
	284	Rudy	26	329
	285	Fertile Valley	26	287
	286	Milden	26	287
	314	Dundurn	25	284
	344	Corman Park	30	210
	346	Perdue	27	208
	376	Eagle Creek	21	231
	403	Rosthern	26	253

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
7A	287	St. Andrews	28	285
	288	Pleasant Valley	20	252
	290 A	Kindersley	20.7	187.8
	290 B	Kindersley	N/A	155.0
	290 C	Kindersley	20	95
	292	Milton	N/A	160
	317 A	Marriott	20	185
	317 B	Marriott	23	242
	318	Mountain View	30	242
	320 A	Oakdale	N/A	198.5
	320 B	Oakdale	14	196
	321	Prairiedale	20	264.5
7B	347	Biggar	29	230
	350 A	Mariposa	32.5	206.5
	350 B	Mariposa	20	188
	351	Progress	N/A	166
	352	Heart's Hill	29	227
	377	Glenside	28.5	228
	378 B	Rosemount	39	251
	379	Reford	39	220
	381	Grass Lake	25	179.5
	382	Eye Hill	27.9	155.1
	409	Buffalo	N/A	62
	410	Round Valley	31.3	225.8
8A	395	Porcupine	59	379
	397	Barrier Valley	34.0	317.8
	428	Star City	N/A	384
	456	Arborfield	31	345
	457	Connaught	38	350.0
	486	Moose Range	31	341
	487	Nipawin	29	387
8B	369	St. Peter	34	321
	370 A	Humboldt	39	441
	370 B	Humboldt	38	413
	371	Bayne	36	329
	372	Grant	28.3	335.6
	400	Three Lakes	29	367
	402	Fish Creek	30	281
	429	Flett's Springs	35	366
	459	Kinistino	30	384
	460	Birch Hills	N/A	260.1
9AE	488	Torch River	31	291
	520	Paddockwood	38	307
	521	Lakeland	38	307
9AW	406	Mayfield	23	186
	435	Redberry	43	311
	436	Douglas	40	260
	463	Duck Lake	28	326.5
	467 A	Round Hill	50	230
	467 B	Round Hill	43	230
9B	438	Battle River	N/A	194
	440	Hillsdale	41	229
	442	Manitou Lake	39.1	215.0
	498 A	Parkdale	56	293.1
	498 B	Parkdale	36	240
	499 A	Mervin	52	259.0
	499 B	Mervin	N/A	61.9
	501 A	Frenchman Butte	52	262
	501 B	Frenchman Butte	44	235
	501 C	Frenchman Butte	39	269
	502	Britannia	30	165.5
	561	Loon Lake	54	328
	588 A	Meadow Lake	48	300
	588 B	Meadow Lake	N/A	N/A
	588 C	Meadow Lake	65	273
	622	Beaver River	N/A	193.5

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Municipality No: A, B and C - more than one reporter

Cumulative Rainfall

from April 1 to September 7, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture September 9, 2015

© 2015 Government of Saskatchewan

Cropland Topsoil Moisture Conditions

September 7, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture September 9, 2015

© 2015 Government of Saskatchewan

Hay and Pasture Topsoil Moisture Conditions

September 7, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture September 9, 2015

© 2015 Government of Saskatchewan